

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A23L 1/06, 1/064, 1/068, 1/212		A1	(11) International Publication Number: WO 99/37168									
			(43) International Publication Date: 29 July 1999 (29.07.99)									
<p>(21) International Application Number: PCT/EP99/00370</p> <p>(22) International Filing Date: 22 January 1999 (22.01.99)</p> <p>(30) Priority Data:</p> <table><tr><td>MO98A000014</td><td>23 January 1998 (23.01.98)</td><td>IT</td></tr><tr><td>MO98A000117</td><td>27 May 1998 (27.05.98)</td><td>IT</td></tr><tr><td>MO98A000239</td><td>25 November 1998 (25.11.98)</td><td>IT</td></tr></table> <p>(71) Applicant (for all designated States except US): PRE GEL S.P.A. [IT/IT]; Via Comparoni, 64, I-42029 Villa Gavasseto (IT).</p> <p>(72) Inventor; and</p> <p>(75) Inventor/Applicant (for US only): RABBONI, Luciano [IT/IT]; Via Monte Evangelo, 13, I-42019 Scandiano (IT).</p> <p>(74) Agent: LUPPI, Luigi; Luppi & Crugnola S.r.l., Viale Corassori, 54, I-41100 Modena (IT).</p>			MO98A000014	23 January 1998 (23.01.98)	IT	MO98A000117	27 May 1998 (27.05.98)	IT	MO98A000239	25 November 1998 (25.11.98)	IT	<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published</p> <p><i>With international search report.</i></p> <p><i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>
MO98A000014	23 January 1998 (23.01.98)	IT										
MO98A000117	27 May 1998 (27.05.98)	IT										
MO98A000239	25 November 1998 (25.11.98)	IT										
<p>(54) Title: ADDITIVE PRE-MIX FOR FOOD PRODUCTS</p> <p>(57) Abstract</p> <p>A compound for food products containing at least one of the following agents: antioxidant agent; preservative agent; acidifying agent; stabilising and thickening agent; a food product comprising said compound and parts of natural food product; a method for using a compound for flowable food products comprising mixing parts of a food product with at least one agent selected from a group comprising: antioxidant agent; preservative agent; acidifying agent; stabilising and thickening agent.</p>												

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

ADDITIVE PRE-MIX FOR FOOD PRODUCTS

The invention concerns preparing flowable or semifluid food products, in particular fruit sauces, or creams to be used as decorations, or stuffings, for ice-creams, confectionery and catering.

The prior art comprises preparing fruit sauces in industrial premises and the subsequent packaging for the delivery of the product to a professional user, as a confectioner or an ice-cream manufacturer, a cook or a pizza-maker, who introduces it into a complete food product for eating.

Therefore, the professional user is, at present, obliged to supply himself with a considerable range of sauces having different tastes, if he wishes to supply his customers with an acceptable range of products, for example ice creams, or cakes, incorporating said sauces. This involves a considerable increase in costs and, moreover, makes it difficult to preserve the various types of sauces, once the respective package has been opened.

Alternatively, the professional user himself may, if necessary, prepare, in an extemporaneous manner, the sauces he needs, which involves a considerable waste of time. Furthermore it is difficult to obtain a creamy and compacted structure of the sauce and to preserve it after immediate use. In addition when fruit-salads are to be prepared, a drawback occurs consisting of a quick browning caused by perishability of the fruit, said browning causing, in addition, an alteration of the preparation taste.

An aim of the invention is to supply an user, in particular a professional user, with a compound which considerably facilitates the preparation of flowable or semifluid food products.

According to the invention, there is provided a pasty compound for foodt products containing at least one of the agents listed below:

- antioxidant agent;

- preservative agent;
- acidifying agent;
- stabilising and thickening agent.

All the agents mentioned above may be contained in the compound according to the invention, but the compound may contain just some of said agents, depending on the desired features of the compound.

The antioxidant agent is particularly advisable when the compound is to be used for fruit sauces, because the antioxidant agent inhibits the natural browning of the fruit. The antioxidant agent preferably comprises ascorbic acid, salts and derivatives thereof, gallates, butylated hydroxyanisole, butylated hydroxytoluene, tocopherols.

The preservative agent has an antimicrobial effect and is particularly advisable for fruit sauces too, because it protects the sauce from microbial attacks.

The preservative agent preferably comprises sorbic acid and its salts, propionic acid and its salts, benzoic acid and its salts, hydroxybenzoates.

The acidifying agent is used to reduce the pH of the sauce resulting from the use of the compound, so as to facilitate the action of the preserving agent. Moreover the acidifying agent is used to freshen up the colours of the fruit and the flavour thereof because it restores the natural acidity of the fruit which has been altered by addition of sugar.

The acidifying agent preferably comprises citric acid, tartaric acid, metatartaric acid, malic acid.

The stabilising and thickening agent gives the compound a certain viscosity, inhibiting its surface flowing in such a way that the sauce which incorporates the compound exhibits a good adherence to a solid support, like the pastry of a cake, or an ice cream.

The stabilising and thickening agent may comprise modified or natural starch, precooked, or non-precooked, gelatines, alginic acid and its salts, guar gum and other gums, agar-agar, carrageenin, meal of carob seeds, pectins, cellulose and

its derivatives, xantan gum.

The stabilising and thickening agent may be activated at room temperature, or at warm conditions (about 75°C).

The compound resulting from using a thickening agent which may be activated at room temperature is preferably suitable for preparing sauces which have to be used at positive centigrade temperatures.

The compound resulting from using a thickening agent may be activated at warm condition is particularly suitable for preparing sauces which have to be used at negative centigrade temperatures, i.e. in particular to garnish ice cream, deep-frozen cakes, ice-cream cakes and confectionery products in general, both inside and in surface.

The compound preferably is in the form of powder, or creamy paste containing suitable proportions of various agents.

Examples of compounds according to the invention are illustrated here below. The composition of the compound, in each example, is detailed by means of the weight percentage of each ingredient per weight unit of the compound for food products (column A), or by means of the percentage of each component per weight unit of the product obtained using the compound (column B).

Example 1

Compound in powdery form suitable for being used at room temperature.

	A	B
- L-ascorbic acid (antioxidant agent)	0 - 5	0 - 2
- sorbic acid or its salts (preservative agent)	0 - 3	0 - 1,2
- citric acid (acidifying agent)	0 - 10	0 - 4
- modified, or natural, precooked or non-precooked, starch which may be activated at room temperature (stabilising and		

4

thickening agent)	0 - 80	0 - 32
- sugar	qs	

Example 2

Compound in powdery form suitable for being used at negative centigrade temperatures.

	A	B
- L-ascorbic acid (antioxidant agent)	0 - 5	0 - 2
- sorbic acid or its salts (preservative agent)	0 - 3	0 - 1,2
- citric acid (acidifying agent)	0 - 10	0 - 4
- modified, or natural, precooked or non-precooked, starch which may be activated at warm conditions (stabilising and thickening agent)	0 - 80	0 - 32
- sugar	qs	

Example 3

Compound in powdery form containing a stabilising and thickening agent which may be activated at room temperature.

	A	B
- L-ascorbic acid (antioxidant agent)	0 - 10	0 - 4
- sorbic acid or its salts (preservative agent)	0 - 10	0 - 4
- citric acid (acidifying agent)	0 - 30	0 - 12
- modified, or natural, precooked or non-precooked, starch which may be activated at room temperature (stabilising and thickening agent)	0 - 80	0 - 32
- sugar	qs	

5

Example 4

Compound in powdery form containing a stabilising and thickening agent which may be activated at warm conditions

	A	B
- L-ascorbic acid (antioxidant agent)	0 - 10	0 - 4
- sorbic acid or its salts (preservative agent)	0 - 10	0 - 4
- citric acid (acidifying agent)	0 - 30	0 - 12
- modified, or natural, precooked or non-precooked, starch which may be activated at warm conditions (stabilising and thickening agent)	0 - 80	0 - 32
- sugar or dehydrated glucose syrup	qs	

Example 5

Compound in the form of a dense paste.

	A	B
- L-ascorbic acid (antioxidant agent)	0 - 10	0 - 4
- sorbic acid or its salts (preservative agent)	0 - 10	0 - 4
- citric acid (acidifying agent)	0 - 30	0 - 12
- modified, or natural, precooked or non-precooked, starch (stabilising and thickening agent)	0 - 80	0 - 32
- sugar or fructose, water, glucose syrup	qs	

The percentages of the ingredients indicated in column A are merely exemplificative, since also pastes having percentages not comprised within the ranges indicated may make possible to obtain a satisfactory product, if the ingredients are used in

suitable proportions with respect to the other ingredients of the product, in particular water, sugar and fruit. Therefore, in view of the results which can be obtained in connection with the food product, the percentage of the various ingredients shown in column B is more significant.

The wide range of values shown for the percentage of the starch depends on the features desired for the food product to be obtained. For example for fruit sauces to be used for garnishing ice creams, a certain degree of flowability of the product is required, which implies a relatively small quantity of starch, whereas for confectionery sauces, a greater thickness of the product may be required, so that it does not tend to flow, which implies a relatively high quantity of starch.

Particularly satisfactory results have been obtained using a modified starch.

A fruit sauce to be used at positive centigrade temperatures may be prepared by dry mixing a suitable quantity of compound of Example 1 with a suitable quantity of sugar, or fructose, adding water and subsequently adding fresh, or unfrozen, fruit, or fruit-juice.

Suggested doses for preparing a sauce containing 1 Kg of fruit:

- sugar	375 g
- compound of Example 1	125 g
- water	250 g

To facilitate the dilution in water, it is preferred that the water is at a temperature greater than 50 °C.

Another fruit sauce to be used at positive centigrade temperatures and suitable for garnishing ice-creams may be prepared by dry mixing a suitable quantity of compound of Example 3 with a suitable quantity of sugar, or fructose, adding water and subsequently adding fresh, or unfrozen, fruit, or fruit-juice.

Suggested doses for preparing a fruit sauce for garnishing ice creams:

7

- sugar 150 g to 380 g
- compound of Example 3 60 g to 100 g
- water 100 g to 300 g
- fruit 400 g to 500 g

To facilitate the dilution in water, it is preferred that the water is at a temperature greater than 50 °C.

The sauce obtained reaches an optimal degree of brightness and creaminess after about 2 hours from preparation.

A further fruit sauce to be used at positive centigrade temperatures and suitable for garnishing ice-creams may be prepared by dry mixing a suitable quantity of compound of Example 5 with a suitable quantity of fresh, or unfrozen, fruit, or fruit-juice.

Suggested doses for preparing a fruit sauce for garnishing ice creams:

- compound of Example 5 400 g to 500 g
- fruit 400 g to 500 g

The ratio between the quantity of compound and the quantity of fruit may be advantageously about 1:1.

The sauce obtained reaches an optimal degree of brightness and creaminess after about 30 min from preparation.

A fruit sauce to be used at negative centigrade temperatures and containing fruit, possibly pieces of fruit, may be prepared by performing a preliminary process of partial candying of the fruit, dry mixing a suitable quantity of compound of Example 2 with a suitable quantity of sugar, or fructose, adding water to the mixture and finally adding the partially candied fruit previously obtained.

Suggested doses for preparing a sauce containing 1 Kg of fruit:

- sugar for precandying 1000 g
- temperature of precandying 50 °C
- time of precandying (about) 5 hours
- compound of Example 2 125 g
- sugar 50 g
- water 250 g

8

- temperature of activation of compound 75 °C
- time for preparing (about) 3 min

The sauce obtained has a very bright appearance with natural coloration.

Another fruit sauce to be used at negative centigrade temperatures and containing fruit, possibly pieces of fruit, may be prepared by performing a preliminary process of partial candying of the fruit, dry mixing a suitable quantity of compound of Example 3 with a suitable quantity of sugar, or fructose, adding water to the mixture and finally adding the partially candied fruit previously obtained.

Suggested doses for precandying fruit to be used in the preparation of the fruit sauce:

- fruit 480 g
- sugar for precandying 320 g
- temperature of precandying 50 °C
- time of precandying (about) 5 hours

Suggested doses for preparing the sauce using the precandied fruit:

- compound of Example 3 60 g
- sugar 50 g
- water 100 g
- precandied fruit 800 g
- time for preparing (about) 3 min

The sauce obtained has a very bright appearance with natural coloration.

A sauce to be used at negative centigrade temperatures and obtained using fruit mix, puree, or fruit juice, may be prepared by dry-mixing the compound of Example 2 with a suitable quantity of sugar or fructose, adding the fruit mix, or puree, or fruit juice and heating at a temperature of 75 °C for a few minutes.

Suggested doses for preparing a sauce containing 1 Kg of fruit mix, puree, or fruit juice:

- sugar 700 g
- compound of Example 2 125 g

- temperature of activation for a few minutes

75 °C

The sauce obtained has a very bright appearance with natural coloration.

Another sauce to be used at negative centigrade temperatures and obtained using fruit mix, puree, or fruit juice, may be prepared by dry-mixing the compound of Example 3 with a suitable quantity of sugar or fructose, adding water, the fruit mix, or puree, or fruit juice.

Suggested doses for preparing a sauce containing fruit mix, puree, or fruit juice:

- sugar 380 g
- compound of Example 3 70 g
- water 150 g
- fruit mix 400 g

The sauce obtained has a very bright appearance with natural coloration.

A further sauce to be used at negative centigrade temperatures and obtained using fruit mix, puree, or fruit juice, may be prepared by mixing the compound of Example 5 with a suitable quantity of fruit mix, or puree, or fruit juice.

Suggested doses for preparing a sauce containing fruit mix, puree, or fruit juice:

- compound of Example 5 700 g
- fruit mix 500 g

The sauce obtained has a very bright appearance with natural coloration.

A fruit-salad sauce obtained using pieces of fresh fruit may be prepared by dissolving the compound of Example 3 in water and adding the pieces of fruit.

Suggested doses:

- compound of Example 3 150 g
- water 500 g
- pieces of fruit 1000 g

Another fruit-salad sauce obtained by using pieces of fresh fruit may be prepared by dry mixing the compound of Example 3

with a suitable quantity of sugar, adding water and the pieces of fruit.

Suggested doses:

- | | |
|-------------------------|------------|
| - compound of Example 3 | about 30 g |
| - water | 340 g |
| - pieces of fruit | 440 g |

The resulting fruit salad has a bright appearance, a natural colour and taste and is protected from natural oxidation and microbial attacks.

Another fruit-salad sauce may be prepared by amalgamating the pasty compound of Example 5 with pieces of fruit and, if necessary, with water.

Suggested doses:

- | | |
|-------------------------|--------|
| - compound of Example 5 | 200 g |
| - water (if necessary) | 100 g |
| - pieces of fruit | 1000 g |

A sauce containing fruit and suitable for stuffing baked confectionery, such as short pastry shells or tarts, may be prepared by mixing the compound of Example 4 with sugar, adding water, heating up to boiling temperature, adding fruit, possibly pieces of fruit, after heating has terminated.

Suggested doses:

- | | |
|-------------------------|-------|
| - compound of Example 4 | 50 g |
| - sugar | 200 g |
| - water | 250 g |
| - fruit | 500 g |

A sauce containing fruit suitable for stuffing baked confectionery may be prepared by mixing the compound of Example 4 with sugar, adding water, heating up to boiling temperature and adding fruit, possibly pieces of fruit, after heating has terminated.

Suggested doses:

- | | |
|-------------------------|-------|
| - compound of Example 4 | 90 g |
| - sugar | 350 g |
| - water | 180 g |
| - fruit | 440 g |

Another sauce containing fruit suitable for stuffing baked confectionery may be prepared by mixing the compound of Example 5 with unfrozen and drained fruit.

Suggested doses:

- compound of Example 5 700 g
- fruit (defrozen and drained) 500 g

A fruit sauce suitable for stuffing and garnishing spoon desserts, which are to be eaten at a positive temperature, may be prepared by mixing the compound of Example 4 with sugar, adding water, heating up to boiling temperature, adding fruit, possibly pieces of fruit, after heating has terminated and cooling.

Suggested doses:

- compound of Example 4 60 g
- sugar 200 g
- water 240 g
- fruit 500 g

The sauces obtained using the compounds according to the invention may be preserved in a refrigerator for a period of about 5 days, without organoleptic (microbiological) alterations, or alterations of the appearance, and outside the refrigerator for a period of about 3 days.

The invention provides a practical and versatile compound which allows the user to freely choose the type of sauce to be prepared depending on the particular tastes of his customers, or on the range of fresh fruit available on the market. Therefore it is no more necessary for the user to supply himself with ready-for-use sauces of different tastes in order to be able to offer his customers the desired variety of flavours. This implies a considerable economic saving and a simplification in managing the stocks of product.

A further advantage of the invention is that the sauces obtained have a very natural flavour and appearance, and do not have the flavour of cooked fruit which is usually produced by pasteurizing processes which are usually performed in the industrial preparation of the ready-to-use package sauces of

the prior art.

Moreover, with respect to conventional sauces, the compound according to the invention may be advantageously prepared without adding artificial flavours, which influence the taste of the preparation.

Finally, a further advantage lies in the fact that the compound according to the invention allows the user to prepare fruit sauces having greater or less consistency by simply increasing or decreasing, respectively, the amount of compound used.

CLAIMS

1. Compound for food products containing at least one of the following agents: antioxidant agent; preservative agent; acidifying agent; stabilising and thickening agent.
2. Compound according to claim 1, wherein said antioxidant is selected from a group comprising ascorbic acid, salts and derivatives thereof, gallates, butylated hydroxyanisole, butylated hydroxytoluene, tocopherols.
3. Compound according to claim 1, or 2, wherein said preservative agent is selected from a group comprising sorbic acid and its salts, propionic acid and its salts, benzoic acid and its salts, hydroxybenzoates.
4. Compound according to any preceding claim, wherein said acidifying agent is selected from a group comprising citric acid, tartaric acid, metatartaric acid, malic acid.
5. Compound according to any preceding claim, wherein said stabilising and thickening agent is selected from a group comprising starch, gelatines, alginic acid and its salts, guar gum and other gums, agar-agar, carrageenin, meal of carob seeds, pectins, cellulose and its derivatives, xantan gum.
6. Compound according to claim 1, or 5, wherein said stabilizing and thickening agent may be activated at room temperature.
7. Compound according to claim 1, or 5, wherein said stabilising and thickening agent may be activated at warm condition.
8. Compound according to any preceding claim, wherein at least some of said agents are in the form of powder.

14

9. Compound according to any of preceding claims and having a consistency of a flowable paste.

10. Compound according to any preceding claim, wherein said agents are present in the following percentages

- antioxidant agent 0 - 5
- preservative agent 0 - 3
- acidifying agent 0 - 10
- stabilising and thickening agent 0 - 80
- sugar qs

11. Compound according to any of claims 1 to 9, wherein said agents are present in the following percentages

- antioxidant agent 0 - 10
- preservative agent 0 - 10
- acidifying agent 0 - 30
- stabilising and thickening agent 0 - 80
- sugar qs

12. Compound according to any of preceding claims and further comprising water.

13. Compound according to any of claims 1 to 9, or 12, wherein, said agents are present in the following percentages:

- antioxidant agent 0 - 4
- preservative agent 0 - 10
- acidifying agent 0 - 30
- stabilising and thickening agent 0 - 80
- sweetener, water qs

14. Food product comprising a compound according to any preceding claim, and further comprising parts of natural food product.

15. Food product according to claim 14, wherein said natural food product comprises fruit.

16. Food Product according to claim 15, wherein said fruit is candied fruit.

17. Food product according to claim 12, wherein said fruit is in the form of fruit-juice, or puree of fruit.

18. Food product according to any of claims 14 to 17, wherein said agents are present in the following percentages

- antioxidant agent 0 - 2
- preservative agent 0 - 1,2
- acidifying agent 0 - 4
- stabilising and thickening agent 0 - 32.

19. Food product according to any of claims 14 to 17, wherein said agents are present in the following percentages

- antioxidant agent 0 - 4
- preservative agent 0 - 4
- acidifying agent 0 - 12
- stabilising and thickening agent 0 - 32
- sweetener qs

20. Food product according to any of claims 14 to 17, wherein said agents are present in the following percentages

- antioxidant agent 0 - 4
- preservative agent 0 - 4
- acidifying agent 0 - 12
- stabilising and thickening agent 0 - 32
- sweetener, water, fruit qs

21. A combination of a food product according to any of claims 14 to 20 and a confectionery product.

22. A combination of a food product according to any of claims 14 to 20 and an ice-cream product.

23. Method for using a compound for flowable food products, characterised in that it comprises mixing with water a compound containing at least one agent selected from a group comprising: antioxidant agent; preservative agent; acidifying agent; stabilising and thickening agent, and subsequently adding parts of a natural food product.

24. Method for using a compound for flowable food products characterised in that it comprises mixing parts of a food product with at least one agent selected from a group comprising: antioxidant agent; preservative agent; acidifying agent; stabilising and thickening agent.

25. Method according to claim 24, and further comprising adding water.

26. Method according to any of claims 23 to 25, and further comprising adding sugar.

27. Method according to one of 23 to 26, and further comprising adding parts of fruit.

28. Method according to claim 27, and further comprising partially candying said parts of fruit.

INTERNATIONAL SEARCH REPORT

national Application No
PCT/EP 99/00370

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A23L1/06 A23L1/064 A23L1/068 A23L1/212

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	J.L. MULTON: "Additifs et Auxiliaires de Fabrication dans les Industries Agro-Alimentaires" 1992, LAVOISIER, PARIS XP002102803 Chap.32 see tables 2-4,6,7,9	1-28
X	WO 96 39877 A (TILLIN INC ;KUHN DALE F (US)) 19 December 1996 see page 3, line 15 - page 5, line 30 see example 6 see claims 1,4	1-4,8, 11,12, 14,15, 17,21, 23-25,27

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

17 May 1999

Date of mailing of the international search report

17/06/1999

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040. Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Vuillamy, V

INTERNATIONAL SEARCH REPORT

national Application No

PCT/EP 99/00370

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FR 1 585 399 A (R. BOUSSER) 16 January 1970 see page 1, line 1 - page 2, line 10 see page 3, line 30 - page 4, line 30 see page 5 see page 6, line 22 - line 35 ----	1,3-15, 17-21, 23-27
X	D.K. TRESSLER, J.G. WOODROOF: "Food Products Formulary - Volume 3" 1976, AVI, USA XP002078535 Pages 9, 13, 14, 16, 20, 27, 29, 30, 47, 65, 83, 88-91, 96-98, 100, 102, 107, 108, 117, 121 see the whole document ----	1-15, 17-21, 23-27
X	US 4 387 109 A (KAHN MARVIN L ET AL) 7 June 1983 see column 7, line 41 - line 51 see examples 1-6,9,10 ----	1-28
X	US 4 232 053 A (BLAKE JON R) 4 November 1980 see column 5, line 40 - column 6, line 24 see column 6, line 54 - line 65 see examples ----	1-28
X	US 4 350 711 A (KAHN MARVIN L ET AL) 21 September 1982 see column 1, line 49 - line 56 see column 7, line 65 - column 8, line 26 see examples 3,6,8,9 ----	1-28
X	US 5 385 747 A (KATZ SUMNER N ET AL) 31 January 1995 see column 2, line 52 - column 3, line 43 see column 4, line 11 - line 60 ----	1-28
X	US 5 688 548 A (GAITHER KAREN S ET AL) 18 November 1997 see column 2, line 15 - column 3, line 40 see column 6, line 51 - column 7, line 14 ----	1-28
X	US 4 430 352 A (POSTNER HERMANN) 7 February 1984 see column 2, line 20 - line 51 -----	1-28

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 99/00370

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9639877 A	19-12-1996	AU 6329896 A US 5858447 A	30-12-1996 12-01-1999
FR 1585399 A	16-01-1970	NONE	
US 4387109 A	07-06-1983	US 4313967 A	02-02-1982
US 4232053 A	04-11-1980	CA 1146399 A JP 1449932 C JP 56026163 A JP 62054460 B	17-05-1983 11-07-1988 13-03-1981 16-11-1987
US 4350711 A	21-09-1982	US 4234611 A US 4146652 A US 4154863 A US 4199604 A AU 546283 B AU 8571682 A BE 893963 A CA 1184062 A CH 654723 A DE 3230025 A FI 822688 A,B, FR 2511226 A GB 2103919 A,B GR 76893 A JP 58036365 A NL 8203083 A OA 7181 A PH 17584 A SE 8204650 A ZA 8205044 A US 4390550 A AU 3281278 A BE 863403 A CA 1107120 A DE 2803634 A DE 2857879 C DE 2858023 C DE 2858058 C DE 2858206 C DE 2858207 C DK 40078 A,B, DK 504084 A,B, FI 780232 A,B, FI 831168 A,B, FR 2378456 A GB 1548358 A JP 1187324 C JP 53104767 A JP 58020250 B JP 1213082 C JP 58047143 B JP 58047450 A NL 7801039 A,B, NL 8303364 A,B, NL 8303365 A NL 8303366 A,B,	18-11-1980 27-03-1979 15-05-1979 22-04-1980 22-08-1985 17-02-1983 16-11-1982 19-03-1985 14-03-1986 03-03-1983 14-02-1983 18-02-1983 02-03-1983 04-09-1984 03-03-1983 01-03-1983 30-04-1984 02-10-1984 11-08-1982 25-05-1983 28-06-1983 02-08-1979 27-07-1978 18-08-1981 03-08-1978 08-01-1987 08-09-1988 24-01-1985 21-04-1988 08-10-1987 29-07-1978 22-10-1984 29-07-1978 06-04-1983 25-08-1978 11-07-1979 20-01-1984 12-09-1978 22-04-1983 27-06-1984 20-10-1983 19-03-1983 01-08-1978 01-02-1984 01-02-1984 01-02-1984

INTERNATIONAL SEARCH REPORT

Information on patent family members

national Application No

PCT/EP 99/00370

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4350711 A		NL 8303367 A,B, NL 8303368 A,B, NZ 186140 A SE 439577 B	01-02-1984 01-02-1984 17-08-1982 24-06-1985
US 5385747 A	31-01-1995	AU 4656493 A CA 2122152 A EP 0606446 A WO 9402030 A	14-02-1994 03-02-1994 20-07-1994 03-02-1994
US 5688548 A	18-11-1997	US 5773071 A	30-06-1998
US 4430352 A	07-02-1984	DE 3118810 C AT 9862 T AU 546823 B AU 8351382 A CA 1178114 A EP 0064654 A SI 8211009 A YU 100982 A ZA 8203133 A	03-02-1983 15-11-1984 19-09-1985 18-11-1982 20-11-1984 17-11-1982 31-08-1995 31-12-1984 30-03-1983